

Update on NOvA Physics Potential

PAC Meeting
Aspen
20 June 2004

Gary Feldman



PAC Questions

- The main thrust of the PAC questions indicated concern over
 - what unique contribution NOvA brings to the world program,
 - how NOvA fits into a longer range Fermilab and world program,
 - and whether near and longer term optimization of NOvA are compatible.
- In this presentation, we will
 - emphasize NOvA's unique role in resolving the mass hierarchy,
 - show that there is a progression of steps that allows the resolution of the mass hierarchy for all values of the CP phase δ and an order of magnitude range of $\sin^2(2\theta_{13})$,
 - show that NOvA is optimized for all stages of this progression, even with reasonable uncertainty on the value of Δm^2 , and
 - in the process, answer all of the PAC's questions.



$P(\nu_{\mu} \rightarrow \nu_{e})$ (in Vacuum)

- $P(v_{\mu} \rightarrow v_{e}) = P_{1} + P_{2} + P_{3} + P_{4}$
 - $P_1 = \sin^2(\theta_{23}) \sin^2(2\theta_{13}) \sin^2(1.27 \Delta m_{13}^2 L/E)$
 - $P_2 = \cos^2(\theta_{23}) \sin^2(2\theta_{12}) \sin^2(1.27 \Delta m_{12}^2 L/E)$
 - $P_3 = {}_{\perp} J \sin(\delta) \sin(1.27 \Delta m_{13}^2 L/E)$
 - $P_4 = J \cos(\delta) \cos(1.27 \Delta m_{13}^2 L/E)$

where $J = cos(\theta_{13}) sin(2\theta_{12}) sin(2\theta_{13}) sin(2\theta_{23}) x$ $sin(1.27 \Delta m_{13}^2 L/E) sin(1.27 \Delta m_{12}^2 L/E)$



$P(\nu_{\mu} \rightarrow \nu_{e})$ (in Matter)

• In matter at oscillation maximum, P_1 will be approximately multiplied by $(1 \pm 2E/E_R)$ and P_3 and P_4 will be approximately multiplied by $(1 \pm E/E_R)$, where the top sign is for neutrinos with normal mass hierarchy and antineutrinos with inverted mass hierarchy.

$$E_R = \frac{\Delta m_{13}^2}{2\sqrt{2}G_E\rho_e} \approx 11 \,\text{GeV for the earth}\tilde{\mathbf{G}} \,\text{crust.}$$

About a ±30% effect for NuMI, but only a ±11% effect for JPARC.

However, the effect is reduced for energies above the oscillation maximum and increased for energies below.




New Simulations

- We now have revised and extended simulations
 - Correct an error in the fiducial containment
 - Correct a miscommunication on the assumed flux
 - Optimized for neutrinos and antineutrinos at
 - 6, 8, 10, 12, 14, and 16 km off-axis for $\Delta m^2 = 0.0025 \text{ eV}^2$
 - 8, 10, 12, and 14 km off-axis for $\Delta m^2 = 0.0020 \text{ eV}^2$





Reminder of the Problem Part 1





Smearing of the Ellipses due to Experimental Errors






Proton Driver





More Conventional Approach to Smearing





Point 1






Proton Driver




Point 2






1, 2, 3 σ Contours for Starred Point, Pos Δm^2



Proton Driver



Point 2



1, 2, 3 σ Contours for Starred Point, Pos Δm^2 0.12 $\sin^2(2\theta_{13})$ L = 810 km, 12 km off NOvA 120 10^{20} pot v, 120 10^{20} pot \bar{v} L = 710 km, 30 km off $60\ 10^{20}\ pot\ v$, $60\ 10^{20}\ pot\ \bar{v}$ 0.1 $\Delta m_{23}^2 = 2.5 \cdot 10^{-3} \text{ eV}^2$ 0.08 0.06 0.04 0.02 0 0.5 1.5 δ (π)

2nd Off-Axis Detector


0

δ (π)

1.5



Smearing of the Ellipses due to $\delta \Delta m_{32}^2$




Gary Feldman

Aspen PAC Meeting

20 June 2004




Smearing of the Ellipses due to $\delta \Delta m_{12}^2$ and $\sin^2(2\theta_{12})$



Gary Feldman Aspen PAC Meeting 20 June 2004 13



Smearing of the Ellipses due to $sin^2(2\theta_{32})$



An ambiguity this large could be resolved by the comparison of accelerator and reactor experiments.


Gary Feldman

Aspen PAC Meeting

20 June 2004



Smearing of the Ellipses due to $\sin^2(2\theta_{32})$





 $\circ \delta = 0$ • $\delta = \pi/2$ \square $\delta = \pi$ $\delta = 3\pi/2$ 0.08 0.04 0.06 $P(\bar{v}_{a})$

This ambiguity is benign with respect to measuring the mass hierarchy and CP with accelerator experiments, as seen by a change of variable.



Smearing of the Ellipses due to $sin^2(2\theta_{32})$






Change of variable



Reminder of the Problem Part 1




17



Reminder of the Problem Part 2

FoM² and Asymmetry vs. Angle




$$FoM = \frac{signal}{\sqrt{background}}$$

$$\left(\frac{\sigma_{v} - \sigma_{\bar{v}}}{\sigma_{v} + \sigma_{\bar{v}}}\right)$$



Gary Feldman

3 σ Discovery Potential for $\nu_{\mu} \rightarrow \nu_{e}$




Aspen PAC Meeting

20 June 2004

19




Comparison of 10 and 12 km



Gary Feldman Aspen PAC Meeting 20 June 2004 20




3 σ Discovery Potential for $ν_μ \rightarrow ν_e$ vs. Off-Axis Distance



Note: There is a loss of sensitivity for ∆m² = 0.002 eV², but not a loss of range, since the CHOOZ limit is correspondingly weaker there.



Comparison to MINOS



Gary Feldman


Aspen PAC Meeting


20 June 2004

22



95% CL Resolution of the Mass Hierarchy






Gary Feldman


Aspen PAC Meeting

20 June 2004



Resolution of the Mass Hierarchy





Note that a Proton Driver changes a 1σ effect into a 3σ effect.

Gary Feldman


Aspen PAC Meeting

20 June 2004



Mass Hierarchy Resolution vs. Off-Axis Distance

2 σ Mass Hierarchy Resolution for 1st Quartile δ




12 km off-axis is best for both $\Delta m^2 = 0.0025$ and $\Delta m^2 = 0.0020$ eV²

Note that best SK analysis ("L/E") has best value at 0.0025 eV² and 90% C.L. lower limit at 0.0019 eV².



PAC Question: Are two (1/2) Detectors Better than One?


2 σ Mass Hierarchy Resolution for 1st Quartile δ




Answer: Yes, but not by enough to overcome the fiducial and infrastructure costs.



NOvA Alone vs. T2K Alone



2 σ Resolution of the Mass Hierarchy




Note change of horizontal scale

Proton Drivers



Combination with T2K



Gary Feldman


Aspen PAC Meeting

20 June 2004

28




Combination with T2K, with Proton Drivers and SK





Combination with a 2nd OA Detector at the 2nd Maximum

2 σ Resolution of the Mass Hierarchy




Gary Feldman

Aspen PAC Meeting

20 June 2004



Combination with a 2nd OA Detector at the 2nd Maximum



Gary Feldman


Aspen PAC Meeting

20 June 2004



Mass Hierarchy Resolution vs. Off-Axis Distance

2 σ Mass Hierarchy Resolution for all δ




Again, 12 km provides a good optimization.



Gary Feldman

Mass Hierarchy Resolution Summary



33




Notes on CP Violation

- Relationship to the mass hierarchy will be different for different experiments.
 - Mass hierarchy unimportant for very short baseline experiments, but crucial for long baseline experiments
- CP violation is first order in θ_{13} , non-CP violating terms are mostly second order.
 - Regions where CP violation is flat in θ_{13} and regions with dips and peaks.
- I will use the criterion of fraction of δ for which there is a 3- σ demonstration of CP violation, i.e., $\delta \neq 0$ or π .



3o Demonstration of CP Violation






With proton drivers

(No 3σ CP effect in either T2K or NOvA without them.)



3o Demonstration of CP Violation




Gary Feldman

Aspen PAC Meeting

20 June 2004




3 σ Demonstration of CP Violation






3 σ Demonstration of CP Violation



2nd Off-axis detector at the 2nd maximum



Demonstration of CP Violation



2nd Off-axis detector at the 2nd maximum

Gary Feldman

Aspen PAC Meeting

20 June 2004



Conclusions

- NOvA provides a flexible approach to studying all of the parameters of neutrino oscillations
 - A long baseline approach is crucial in the context of the world program.
 - NOvA is the first stage of a flexible program where each stage can be planned according to what has been learned in previous stages.
 - The range of the NOvA program is comparable to that of other conventional approaches.
 - NOvA can be started now (same scale as NuMI/MINOS).
 - The approval road is long. We need PAC approval now to keep NOvA and the Fermilab neutrino program timely.




Backup Slides





Other US Initiatives



Gary Feldman Aspen PAC Meeting 20 June 2004 42




Brookhaven White Paper

- Brookhaven has proposed an intense proton source to an on-axis massive detector (500 kT) over a very long baseline (>2000 km).
 - Idea is to measure all three parameters simultaneously by measuring 3 oscillation maxima.
 - Water Cerenkov does not provide good electron/ π^0 separation above 1 GeV a factor of 5 better rejection than SuperK is needed. (Liquid argon or TASD?)
 - Range appears to be comparable to the NOvA program, although not explicitly calculated in the same way.
 - Very expensive; could not be done anytime soon, if ever.



Brookhaven Sensitivity to $\nu_{\mu} \rightarrow \nu_{e}$ Signal





Gary Feldman


Aspen PAC Meeting

20 June 2004



Brookhaven Sensitivity to








Doug Michael's FeHo Proposal

- Use 4 MW of power from Fermilab, 2 MW from the Proton Driver as an 8 GeV on-axis beam and 2 MW from the Main Injector as a tunable off-axis beam.
- 16 times the flux of Brookhaven proposal (4 from beam x 4 from distance, 1290 km)
- 100-125 kT liquid argon or TASD (4-5 x NO∨A)
- Sensitivities not well calculated yet.
- Same comment as Brookhaven on cost and schedule.



FeHo Sensitivity to $\nu_{\mu} \rightarrow \nu_{e}$ Signal

90% CL for Excluding Oscillation Parameters



Note: only 90% CL and only for the normal mass ordering

Only QE events
No NC background
(but all intrinsic
v_e included)




Quick TASD Update

Excellent e/μ discrimination

QuickTime™ and a TIFF (Uncompressed) decompressor are needed to see this picture.



Locations at Ash River



At Ash River, we Are limited to Distances > 11 km Because "a river Runs through it."